



Camp Chatterbox Health Form



FORM DATE: _____ DATE OF BIRTH: _____

ATTENDEE NAME: _____

ADDRESS: _____

EMERGENCY CONTACT & PHONE: _____

EMERGENCY CONTACT 2 & PHONE: _____

PHYSICIAN: _____ PHONE: _____

DENTIST: _____ PHONE: _____

INSURANCE COMPANY: _____ POLICY NUMBER: _____

HISTORY OF: SEIZURES? YES / NO ALLERGIES? YES / NO ASTHMA? YES / NO

(Please complete an additional action plan form if attendee has seizures/asthma/allergies.)

ATTENDEE'S IMMUNIZATIONS UP TO DATE:
YES / NO

(Please attach a copy of immunization record.)

ATTENDEE WILL BE TAKING MEDICATION AT CAMP:
YES / NO

(Please note that all medications MUST be given to nurse at check in)

Please explain any known restrictions for activities, dietary restrictions, other precautions, health, or medical issues that our staff should be aware of: _____

PARENT/GUARDIAN ASSISTANCE: (Parent/Guardian(s) and independent campers excluded):

I acknowledge that I will accompany my child in activities in the event that the camp staff/volunteers are unable to attend the scheduled event.

SIGNATURE OF PARENT/GUARDIAN

DATE

IN CASE OF EMERGENCY: I certify that the above information is accurate & that this camper does not have any health or medical issues that would prohibit him/her from participating in this camp program. Permission is given to Children's Specialized Hospital or its representatives to provide or seek medical care in case of emergency for the above person.

SIGNATURE OF ATTENDEE

DATE

SIGNATURE OF PARENT/GUARDIAN (if applicable*)

DATE

SIGNATURE OF PHYSICIAN

DATE

NAME OF PHYSICIAN AND PRACTICE – STAMP

Revised 10/20

*Parent/Guardian signature required for attendees under 18 and for those 18+ with a power of attorney



Camp Chatterbox Seizure Action Plan



FORM DATE: _____ DATE OF BIRTH: _____

ATTENDEE NAME: _____ TREATING PHYSICIAN: _____

SEIZURE INFORMATION

TYPE	LENGTH	FREQUENCY	DESCRIPTION

Triggers/Warning signs: _____

Response after a seizure: _____

EMERGENCY RESPONSE

A "seizure emergency" for this attendee is described as:

SEIZURE EMERGENCY PROTOCOL (check all that apply & clarify below)

- Call 911 for transport to _____
- Notify parent or emergency contact
- Administer emergency medications as indicated below
- Notify doctor
- Other _____

TREATMENT PROTOCOL DURING RECREATION PROGRAMS

EMERGENCY MEDS Y/N?	MEDICATION	DOSAGE & TIME OF DAY GIVEN	COMMON SIDE EFFECT / SPECIAL INSTRUCTIONS

SIGNATURE OF ATTENDEE DATE

SIGNATURE OF PARENT/GUARDIAN (If applicable*) DATE

SIGNATURE OF PHYSICIAN DATE

NAME OF PHYSICIAN AND PRACTICE (STAMP)



Camp Chatterbox Allergy Action Plan



FORM DATE: _____ DATE OF BIRTH: _____

ATTENDEE NAME: _____

ALLERGY TO: _____

SYMPTOMS	GIVE CHECKED MEDICATION
If an exposure to the allergens has occurred, but there are no symptoms	<input type="checkbox"/> Antihistamine <input type="checkbox"/> Epinephrine
Mouth: itching, tingling, swelling of lips, tongue, mouth	<input type="checkbox"/> Antihistamine <input type="checkbox"/> Epinephrine
Skin: hives, itchy rash, swelling of face or extremities	<input type="checkbox"/> Antihistamine <input type="checkbox"/> Epinephrine
Gut: nausea, abdominal cramping, vomiting, diarrhea	<input type="checkbox"/> Antihistamine <input type="checkbox"/> Epinephrine
Throat: tightening, hoarseness, hacking cough	<input type="checkbox"/> Antihistamine <input type="checkbox"/> Epinephrine
Lung: shortness of breath, repetitive cough, wheezing	<input type="checkbox"/> Antihistamine <input type="checkbox"/> Epinephrine
Heart: weak or thread pulse, low blood pressure, fainting, pale, blueness	<input type="checkbox"/> Antihistamine <input type="checkbox"/> Epinephrine
Other symptoms:	<input type="checkbox"/> Antihistamine <input type="checkbox"/> Epinephrine
If reaction is progressing, several of the above areas affected:	<input type="checkbox"/> Antihistamine <input type="checkbox"/> Epinephrine

DOSAGE

Epinephrine (inject intramuscularly)

- EpiPen
 EpiPen Jr.
 Twinject 0.3 mg
 Twinject 0.15mg

Antihistamine: give _____
Medication/dose/route

Other: give _____
Medication/dose/route

If a reaction occurs, emergency medication will be administered by camp nurse, 911 will be called prior to calling emergency contacts. An attendee's physician may also be contacted.

SIGNATURE OF ATTENDEE DATE

SIGNATURE OF PARENT/GUARDIAN (If applicable*) DATE

SIGNATURE OF PHYSICIAN DATE


NAME OF PHYSICIAN AND PRACTICE – STAMP

Revised 10/20

*Parent/Guardian signature required for attendees under 18 and for those 18+ with a power of attorney

Asthma Treatment Plan – Student

(This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) **(Physician's Orders)**



(Please Print)

Name	Date of Birth	Effective Date
Doctor	Parent/Guardian (if applicable)	Emergency Contact
Phone	Phone	Phone

HEALTHY (Green Zone) ||||



You have **all** of these:

- Breathing is good
- No cough or wheeze
- Sleep through the night
- Can work, exercise, and play

And/or Peak flow above _____

Take daily control medicine(s). Some inhalers may be more effective with a "spacer" – use if directed.

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Advair® HFA <input type="checkbox"/> 45, <input type="checkbox"/> 115, <input type="checkbox"/> 230	2 puffs twice a day
<input type="checkbox"/> Aerospir™	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Alvesco® <input type="checkbox"/> 80, <input type="checkbox"/> 160	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Dulera® <input type="checkbox"/> 100, <input type="checkbox"/> 200	2 puffs twice a day
<input type="checkbox"/> Flovent® <input type="checkbox"/> 44, <input type="checkbox"/> 110, <input type="checkbox"/> 220	2 puffs twice a day
<input type="checkbox"/> Qvar® <input type="checkbox"/> 40, <input type="checkbox"/> 80	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Symbicort® <input type="checkbox"/> 80, <input type="checkbox"/> 160	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Advair Diskus® <input type="checkbox"/> 100, <input type="checkbox"/> 250, <input type="checkbox"/> 500	1 inhalation twice a day
<input type="checkbox"/> Asmanex™ Twisthaler® <input type="checkbox"/> 110, <input type="checkbox"/> 220	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Flovent® Diskus® <input type="checkbox"/> 50 <input type="checkbox"/> 100 <input type="checkbox"/> 250	1 inhalation twice a day
<input type="checkbox"/> Pulmicort Flexhaler® <input type="checkbox"/> 90, <input type="checkbox"/> 180	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Pulmicort Respules® (Budesonide) <input type="checkbox"/> 0.25, <input type="checkbox"/> 0.5, <input type="checkbox"/> 1.0	1 unit nebulized <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Singulair® (Montelukast) <input type="checkbox"/> 4, <input type="checkbox"/> 5, <input type="checkbox"/> 10 mg	1 tablet daily
<input type="checkbox"/> Other	
<input type="checkbox"/> None	

Remember to rinse your mouth after taking inhaled medicine.

If exercise triggers your asthma, take _____ puff(s) _____ minutes before exercise.

CAUTION (Yellow Zone) ||||



You have **any** of these:

- Cough
- Mild wheeze
- Tight chest
- Coughing at night
- Other: _____

If quick-relief medicine does not help within 15-20 minutes or has been used more than 2 times and symptoms persist, call your doctor or go to the emergency room.

And/or Peak flow from _____ to _____

Continue daily control medicine(s) and ADD quick-relief medicine(s).

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	2 puffs every 4 hours as needed
<input type="checkbox"/> Xopenex®	2 puffs every 4 hours as needed
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Duoneb®	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Combivent Respimat®	1 inhalation 4 times a day
<input type="checkbox"/> Increase the dose of, or add:	
<input type="checkbox"/> Other	

• If quick-relief medicine is needed more than 2 times a week, except before exercise, then call your doctor.

EMERGENCY (Red Zone) ||||



Your asthma is getting worse fast:

- Quick-relief medicine did not help within 15-20 minutes
- Breathing is hard or fast
- Nose opens wide
- Ribs show
- Trouble walking and talking
- Lips blue • Fingernails blue
- Other: _____

And/or Peak flow below _____

Take these medicines NOW and CALL 911. Asthma can be a life-threatening illness. Do not wait!

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	4 puffs every 20 minutes
<input type="checkbox"/> Xopenex®	4 puffs every 20 minutes
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Duoneb®	1 unit nebulized every 20 minutes
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Combivent Respimat®	1 inhalation 4 times a day
<input type="checkbox"/> Other	

Triggers
Check all items that trigger patient's asthma:

- Colds/flu
- Exercise
- Allergens
 - Dust Mites, dust, stuffed animals, carpet
 - Pollen - trees, grass, weeds
 - Mold
 - Pets - animal dander
 - Pests - rodents, cockroaches
- Odors (Irritants)
 - Cigarette smoke & second hand smoke
 - Perfumes, cleaning products, scented products
 - Smoke from burning wood, inside or outside
- Weather
 - Sudden temperature change
 - Extreme weather - hot and cold
 - Ozone alert days
- Foods:
 - _____
 - _____
 - _____
 - _____
- Other:
 - _____
 - _____
 - _____
 - _____

This asthma treatment plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs.

Disclaimer: This is the Pediatric/Adult Asthma Treatment Plan and is intended to provide general information only. It is not intended to be used as a substitute for professional medical advice, diagnosis, or treatment. The American Lung Association of New Jersey (ALANJ) is a 501(c)(3) non-profit organization. ALANJ is not liable for any damages, including without limitation, incidental and consequential damages, personal injury, wrongful death, loss of profits, or damages resulting from data or business information resulting from reliance on the information contained in this document. ALANJ is not liable for any damages, including without limitation, incidental and consequential damages, personal injury, wrongful death, loss of profits, or damages resulting from data or business information resulting from reliance on the information contained in this document. ALANJ is not liable for any damages, including without limitation, incidental and consequential damages, personal injury, wrongful death, loss of profits, or damages resulting from data or business information resulting from reliance on the information contained in this document. ALANJ is not liable for any damages, including without limitation, incidental and consequential damages, personal injury, wrongful death, loss of profits, or damages resulting from data or business information resulting from reliance on the information contained in this document.

REVISED AUGUST 2014
Permission to reproduce blank form - www.pacnj.org

Permission to Self-administer Medication:

- This student is capable and has been instructed in the proper method of self-administering of the non-nebulized inhaled medications named above in accordance with NJ Law.
- This student is **not** approved to self-medicate.

PHYSICIAN/APN/PA SIGNATURE _____ DATE _____

PARENT/GUARDIAN SIGNATURE _____

PHYSICIAN STAMP

Make a copy for parent and for physician file, send original to school nurse or child care provider.

Asthma Treatment Plan – Student Parent Instructions



The PACNJ Asthma Treatment Plan is designed to help everyone understand the steps necessary for the individual student to achieve the goal of controlled asthma.

- Parents/Guardians:** *Before taking this form to your Health Care Provider, complete the top left section with:*
 - Child's name
 - Child's doctor's name & phone number
 - Parent/Guardian's name & phone number
 - Child's date of birth
 - An Emergency Contact person's name & phone number
- Your Health Care Provider will complete the following areas:**
 - The effective date of this plan
 - The medicine information for the Healthy, Caution and Emergency sections
 - Your Health Care Provider will check the box next to the medication and check how much and how often to take it
 - Your Health Care Provider may check "OTHER" and:
 - ❖ Write in asthma medications not listed on the form
 - ❖ Write in additional medications that will control your asthma
 - ❖ Write in generic medications in place of the name brand on the form
 - Together you and your Health Care Provider will decide what asthma treatment is best for your child to follow
- Parents/Guardians & Health Care Providers together will discuss and then complete the following areas:**
 - Child's peak flow range in the Healthy, Caution and Emergency sections on the left side of the form
 - Child's asthma triggers on the right side of the form
 - Permission to Self-administer Medication section at the bottom of the form: Discuss your child's ability to self-administer the inhaled medications, check the appropriate box, and then both you and your Health Care Provider must sign and date the form
- Parents/Guardians:** *After completing the form with your Health Care Provider:*
 - Make copies of the Asthma Treatment Plan and give the signed original to your child's school nurse or child care provider
 - Keep a copy easily available at home to help manage your child's asthma
 - Give copies of the Asthma Treatment Plan to everyone who provides care for your child, for example: babysitters, before/after school program staff, coaches, scout leaders

PARENT AUTHORIZATION

I hereby give permission for my child to receive medication at school as prescribed in the Asthma Treatment Plan. Medication must be provided in its original prescription container properly labeled by a pharmacist or physician. I also give permission for the release and exchange of information between the school nurse and my child's health care provider concerning my child's health and medications. In addition, I understand that this information will be shared with school staff on a need to know basis.

Parent/Guardian Signature

Phone

Date

FILL OUT THE SECTION BELOW ONLY IF YOUR HEALTH CARE PROVIDER CHECKED PERMISSION FOR YOUR CHILD TO SELF-ADMINISTER ASTHMA MEDICATION ON THE FRONT OF THIS FORM.

RECOMMENDATIONS ARE EFFECTIVE FOR ONE (1) SCHOOL YEAR ONLY AND MUST BE RENEWED ANNUALLY

I do request that my child be **ALLOWED** to carry the following medication _____ for self-administration in school pursuant to N.J.A.C. 6A:16-2.3. I give permission for my child to self-administer medication, as prescribed in this Asthma Treatment Plan for the current school year as I consider him/her to be responsible and capable of transporting, storing and self-administration of the medication. Medication must be kept in its original prescription container. I understand that the school district, agents and its employees shall incur no liability as a result of any condition or injury arising from the self-administration by the student of the medication prescribed on this form. I indemnify and hold harmless the School District, its agents and employees against any claims arising out of self-administration or lack of administration of this medication by the student.

I **DO NOT** request that my child self-administer his/her asthma medication.

Parent/Guardian Signature

Phone

Date



Medication Form

Attendee Name: _____ **D.O.B:** _____

Diagnosis: _____

History of: Allergies ___ Yes ___ No Seizures ___ Yes ___ No Asthma ___ Yes ___ No
(Please complete additional emergency action plan if your child has history of any of the above conditions.)

Medications: Please send along appropriate quantity of supplies for the full duration of camp. All medications must be given to and signed in with the camp nurse upon check-in for safe and proper storage; NO medications are permitted to remain in cabins.

If your camper may request additional “over the counter” medications (such as Tylenol, Motrin, Senokot, Immodium, antacid, Pepto Bismol, Benadryl, etc.) please provide a description in the chart below under “taken for” with the acceptable circumstances for administration of these medications. Please do not just write “as needed”.

****Please note-over the counter medications must be new/sealed with a signed prescription provided by the child’s primary physician. Medications without a doctor’s authorization will not be administered under any circumstance.***

Medication List: Please include routine, all over the counter and all emergency medications.

Medication Name	Dosage & Frequency	Taken for	Refrigeration Needed?		Sign In/Sign Out (Nurse use only)	
			Yes	No		
			Yes	No		
			Yes	No		
			Yes	No		
			Yes	No		
			Yes	No		
			Yes	No		
			Yes	No		

Notes: _____

Attendee Signature: _____ **Date:** _____

Parent Signature (If applicable): _____ **Date:** _____

Physician Signature & Stamp: _____ **Date:** _____